







Braille XC15.0-750 **Motorsport Lithium Battery**

At only 2.5 KG, the XC15.0-750 Motorsport Lithium Battery is a high-performance upgrade from a traditional lead acid battery. Offering significant weight reduction, more power output and lasting up to 5 times longer than lead acid batteries!

BENEFITS:

- · Superior starting capabilities with high cranking amp output per kg
- Fast and efficient recharge, up to 5 times faster than lead acid batteries
- Can be used in "Total Loss" (no alternator) applications
- 3-5 times longer service life vs lead-acid batteries
- Engineered for high shock and vibration applications
- Up to 2/3 weight reduction for equivalent cranking performance

750	2.5	15.0	192
10 SECONDS (A)	WEIGHT (KG)	CAPACITY (Ah)	CAPACITY (Wh)

PRODUCT INFORMATION

Physical Specs

Battery Chemistry	LFP
Length (mm)	178
Width (mm)	76
Height (mm)	159
Weight (kg)	2.5
Terminal Type	Brass terminal block with M6 bolt
Polarity	Right +

Technical Specs

5 Second Pulse Cranking Amps	947	Charging Temperature	0C to 50C
10 Second Pulse Discharge Current (A)	750	Discharge	-20C to +60C
Voltage	12	Temperature Range	-200 10 +000
Capacity (Ah)	15.0	Storage Temperature	-20C to +60C
Capacity (Wh)	192		
Continuous Discharge Current (A)	300		

Charging

Recharge Voltage	14.4V - 14.6V
Maintenance Charge Voltage	13.8V











Rev 05-23









